

Message

---

**From:** [Nonresponsive based on revised scope]@tetrattech.com]  
**Sent:** 1/21/2021 12:26:33 AM  
**To:** Wagner, Christine [Wagner.Christine@epa.gov]; McCauley, Joanna [McCauley.Joanna@epa.gov]  
**CC:** [Nonresponsive based on revised scope]@tetrattech.com]; [Nonresponsive based on revised scope]@tetrattech.com]  
**Subject:** Shiloh Church Road Removal - billing extract, invoices, and MSRs  
**Attachments:** Shiloh Invoice \_August\_2020.pdf; Shiloh Invoice \_December\_2020.pdf; Shiloh Invoice \_November\_2020.pdf; Shiloh Invoice \_October\_2020.pdf; Shiloh Invoice \_September\_2020\_revised.pdf; T601-20-07-014 Billing Extract.xlsx; T601-20-07-014\_August\_2020.pdf; T601-20-07-014\_December\_2020.pdf; T601-20-07-014\_November\_2020.pdf; T601-20-07-014\_October\_2020.pdf; T601-20-07-014\_September\_2020\_revised.pdf

Chris / Joanna

Please find attached the supporting files related to our previous discussion earlier this month regarding resolution of issues related to our invoice submittals. The following files are attached:

- Billing extract from our accounting system (Excel file containing line items for all labor, ODCs, and Fixed Rate Equipment)
- Invoices submitted previously (file names "Shiloh Invoice\_*month*") – attached files include the revised version for September
- MSRs submitted previously (file names "T601-20-07-014\_*Month\_2020*")

Please let me know if you have any questions or when you want to discuss these items further.

Thanks

**Nonresponsive based on revised scope**

**Tetra Tech Inc.**

240 Continental Drive, Suite 200 | Newark, DE 19713 | [www.tetrattech.com](http://www.tetrattech.com)

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.